

Mapping DD semantic units – RDF constructs

The mapping indicates the RDF construct used to express the semantic unit according to the Turtle expression and with the following conventions:

- <Xxxx> stands for an instance of the class premis:Xxxx.
- <yyy:Xxxx> stands for an instance of the class yyy:Xxxx.
- "xxx" stands for any literal.

For abbreviations of preservation vocabularies namespaces hosted at <http://id.loc.gov/vocabulary/preservation>, see the [Guidelines document, section "External vocabularies"](#).

[Object](#)

[Event](#)

[Agent](#)

[Rights](#)

1. Object

Semantic unit	RDF mapping	Comment
1.1 objectIdentifier	<Object>	Generally, the Object identifier is the URI for the resource.
	<Object> dct:identifier "id"	This construct should be used if the identifier is not a URI.
	<Object> premis:hasIdentifier <Identifier>	This construct may be used if additional assertions on the identifier must be added, or if a controlled vocabulary that declares identifiers as classes must be used.
1.1.1 objectIdentifierType	?identifierType rdfs:subPropertyOf	Declare subproperties of dct:identifier

	dct:identifier	
	<Identifier> rdf:type ?identifierType. ?identifierType rdfs:subClassOf premis:Identifier.	This construct may be used if additional assertions on the identifier must be added, or if a controlled vocabulary that declares identifiers as classes must be used.
1.1.2 objectIdentifierValue	<Object> dct:identifier "id".	
	<Identifier> rdf:value "id".	This construct may be used if additional assertions on the identifier must be added, or if a controlled vocabulary that declares identifiers as classes must be used.
1.2 objectCategory	<Object> rdf:type ?object . ?object rdfs:subClassOf premis:Object	Use subclasses of premis:Object
1.3 preservationLevel	<Object> premis:hasPolicy <PreservationPolicy>.	
1.3.1 preservationLevelType	<PreservationPolicy> rdf:type ?preservationPolicyType. ?preservationPolicyType rdfs:subClassOf premis:PreservationPolicy.	Declare subclasses of premis:PreservationPolicy or use those defined at http://id.loc.gov/vocabulary/preservation/preservationLevelType (not yet established)
1.3.2 preservationLevelValue	<PreservationPolicy> premis:hasNote "note".	
1.3.3 preservationLevelRole	<Object> presLevRole:req <PreservationPolicy> .	Declare subproperties of premis:hasPolicy or use those defined at http://id.loc.gov/vocabulary/preservation/preservationLevelRole
1.3.4 preservationLevelRationale	<PreservationPolicy>	

	premis:hasRationale "rationale".	
1.3.5 preservationLevelDateAssigned	<Object> prov:wasUsedBy <Event>. <Event> rdf:type evType:poa. <Event> dct:date "date".	The date should be attached to a policy assignment Event.
1.4 significantProperties	<Object> premis:hasPolicy <SignificantProperties>.	
1.4.1 significantPropertiesType	/	
1.4.2 significantPropertiesValue	<Object> ?significantProperty "true". <SignificantProperties> rdf:value ?significantProperty.	
1.4.3 significantPropertiesExtension	/	
1.5 objectCharacteristics	/	
1.5.1 compositionLevel	<Object> premis:hasCompositionLevel "n".	
1.5.2 fixity	<Object> premis:hasFixity <Fixity>.	
1.5.2.1 messageDigestAlgorithm	<Fixity> rdf:type ?fixityType. ?fixityType rdfs:subClassOf premis:Fixity..	Declare subclasses of premis:Fixity or use those defined at http://id.loc.gov/vocabulary/preservation/cryptographicHashFunctions
1.5.2.2 messageDigest	<Fixity> rdf:value "checksum".	
1.5.2.3 messageDigestOriginator	<Fixity> dct:creator <dc:creator>.	Or use dce:creator to specify the message digest originator as a literal and attach to the Object (<Fixity> dce:creator "creator".).

1.5.3 size	<Object> premis:hasSize "size".	
1.5.4 format	<Object> dct:format <dct:FileFormat>.	Expressing the format by its MIME type may also be achieved by using the ebucore:hasMimeType property.
1.5.4.1 formatDesignation	/	
1.5.4.1.1 formatName	<dct:FileFormat> rdfs:label "formatName".	
1.5.4.1.2 formatVersion	<dct:FileFormat> premis:hasVersion "formatVersion".	The format designation being expressed by both <i>formatName</i> and <i>formatVersion</i> , version may also be mentioned in the value of the rdfs:label.
1.5.4.2 formatRegistry	<dct:FileFormat> skos:exactMatch <pronom:format>.	skos:exactMatch should be used if the format is strictly the same as the one described in the registry.
	<dct:FileFormat> skos:closeMatch <pronom:format>.	skos:closeMatch should be used if the format is not strictly the same as the one described in the registry (in particular, if the format described in the registry is more general).
1.5.4.2.1 formatRegistryName	<dct:FileFormat> ?myRegistry <my:format>. ?myRegistry rdfs:subPropertyOf skos:exactMatch.	Declare subproperties of skos:exactMatch.
	<dct:FileFormat> ?myRegistry <my:format>. ?myRegistry rdfs:subPropertyOf skos:closeMatch.	Declare subproperties of skos:closeMatch

1.5.4.2.2 formatRegistryKey	/	URI of the object of skos:closeMatch / skos:exactMatch (or subproperties of these).
1.5.4.2.3 formatRegistryRole	< dct:FileFormat > my:registry01 < my:format >. my:registry01 rdfs:subPropertyOf forRegRole:spe.	Declare subproperties of skos:closeMatch or use those defined at http://id.loc.gov/vocabulary/preservation/formatRegistryRole
1.5.4.3 formatNote	< dct:FileFormat > premis:hasNote "note".	
1.5.5 creatingApplication	< Object > dct:creator < prov:SoftwareAgent >.	Or use a creation Event, or an IntellectualEntity with environmentPurpose = "create"
1.5.5.1 creatingApplicationName	< prov:SoftwareAgent > rdfs:label "applicationName".	Or use dce:creator to specify the application name as a literal and attach to the Object (< Object > dce:creator "SoftwareAgent").
1.5.5.2 creatingApplicationVersion	< prov:SoftwareAgent > premis:hasVersion "n".	
1.5.5.3 dateCreatedByApplication	< Object > prov:generatedAtTime "dateTime".	
1.5.5.4 creatingApplicationExtension	/	
1.5.6 inhibitors	< Object > premis:inhibitedBy < Inhibitor >.	
1.5.6.1 inhibitorType	< Inhibitor > rdf:type ?inhibitorType. ? inhibitorType rdfs:subClassOf premis:Inhibitor..	Declare subclasses of premis:Inhibitor or use those defined at http://id.loc.gov/vocabulary/preservation/inhibitorType .

1.5.6.2 inhibitorTarget	<Inhibitor> premis:inhibits <Functionality>.	Declare individuals of premis:Functionality or use those defined at http://id.loc.gov/vocabulary/preservation/functionality (not yet established).
1.5.6.3 inhibitorKey	<Inhibitor> premis:hasKey "key".	
1.5.7 objectCharacteristicsExtension	/	
1.6 originalName	<Object> premis:hasOriginalName "originalName".	
1.7 storage	<Object> premis:storedAt <StorageLocation>.	
1.7.1 contentLocation	/	
1.7.1.1 contentLocationType	<StorageLocation> rdf:type ?storageLocationType. ?storageLocationType rdfs:subClassOf premis:StorageLocation.	Declare subclasses of premis:StorageLocation or use those defined at http://id.loc.gov/vocabulary/preservation/contentLocationType .
1.7.1.2 contentLocationValue	<StorageLocation> rdf:value "location".	
1.7.2 storageMedium	<StorageLocation> premis:hasMedium <StorageMedium>.	Declare subclasses of premis:StorageMedium or use those defined at http://id.loc.gov/vocabulary/preservation/storageMedium .
1.8 signatureInformation	/	
1.8.1 signature	<Object> premis:hasSignature <Signature>.	

1.8.1.1 signatureEncoding	<Signature> premis:hasEncoding ?signatureEncodingType. ?signatureEncodingType rdf:type premis:SignatureEncoding.	Declare individuals of premis:SignatureEncoding or use those defined at http://id.loc.gov/vocabulary/preservation/signatureEncoding .
1.8.1.2 signer	<Signature> dct:creator <dc:creator>.	Or use dce:creator to specify the signer name as a literal (<Signature> dce:creator "creator"). For information about the authority responsible for generating the signature, recommended practice is to use a 'digital signature generation' Event.
1.8.1.3 signatureMethod	<Signature> rdf:type ?signatureMethodType. ?signatureMethodType rdfs:subClassOf premis:Signature.	Declare subclasses of premis:Signature or use those defined at http://id.loc.gov/vocabulary/preservation/signatureMethod .
1.8.1.4 signatureValue	<Signature> rdf:value "value".	
1.8.1.5 signatureValidationRules	<Signature> premis:hasValidationRules "validation rules".	Use premis:hasDocumentation to point to a resource documenting validation rules.
1.8.1.6 signatureProperties	<Signature> premis:hasNote "note"	For date and time of the signature generation or information about software, recommended practice is to use a 'digital signature generation' Event.
1.8.1.7 keyInformation	<Signature> premis:hasKey <key>..	
1.8.2 signatureInformationExtension	/	
1.9 environmentFunction	<IntellectualEntity> rdf:type ?environmentFunctionType.	Declare subclasses of premis:IntellectualEntity or use those defined at

	?environmentFunctionType rdfs:subClassOf premis:IntellectualEntity.	http://id.loc.gov/vocabulary/preservation/environmentFunctionType .
1.9.1 environmentFunctionType	/	
1.9.2 environmentFunctionLevel	/	environmentFunctionLevel is indicated in the vocabulary with class/subclass relationships (currently, broader/narrower relationships)
1.10 environmentDesignation	/	
1.10.1 environmentName	<IntellectualEntity> rdfs:label "envtName".	
1.10.2 environmentVersion	<IntellectualEntity> premis:hasVersion "n".	
1.10.3 environmentOrigin	<IntellectualEntity> dct:creator <foaf:person>.	
	<IntellectualEntity> dct:creator <foaf:organization>.	
1.10.4 environmentDesignationNote	<IntellectualEntity> premis:hasNote "note".	
1.10.5 environmentDesignationExtension	/	
1.11 environmentRegistry	<IntellectualEntity> skos:exactMatch <IntellectualEntity>.	skos:exactMatch should be used if the Environment is strictly the same as the one described in the registry.

	<IntellectualEntity> skos:closeMatch <IntellectualEntity>.	skos:closeMatch should be used if the Environment is not strictly the same as the one described in the registry (in particular, if the Environment described in the registry is more general).
1.11.1 environmentRegistryName	<IntellectualEntity> ?myRegistry <IntellectualEntity>. ?myRegistry rdfs:subPropertyOf skos:closeMatch.	Declare subproperties of skos:closeMatch.
1.11.2 environmentRegistryKey	/	URI of the object of the skos:closeMatch property or subproperty of skos:closeMatch.
1.11.3 environmentRegistryRole	<IntellectualEntity> ?registryRole <my:environment>. ?registryRole rdfs:subPropertyOf skos:closeMatch.	Declare subproperties of skos:closeMatch or use those defined at http://id.loc.gov/vocabulary/preservation/environmentRegistryRole
1.12 environmentExtension	/	
1.13 relationship	/	
1.13.1 relationshipType	/	
1.13.2 relationshipSubType	<Object> ?relationshipType <Object>. ?relationshipType rdfs:subPropertyOf premis:hasRelationship.	Declare subproperties of premis:hasRelationship or use those defined at http://id.loc.gov/vocabulary/preservation/relationshipSubType .
	<Object> premis:hasDependency <Dependency>. <Dependency> ?relationshipType <Object>.	If <i>environmentPurpose</i> and/or <i>environmentCharacteristic</i> need to be specified.

	?relationshipType rdfs:subPropertyOf premis:hasRelationship.	
1.13.3 relatedObjectIdentifier	/	
1.13.3.1 relatedObjectIdentifierType	/	
1.13.3.2 relatedObjectIdentifierValue	/	URI of the object of the relationship property.
1.13.3.3 relatedObjectSequence	<Object> edm:isNextInSequence <Object>.	For aggregation-specific sequencing, the use of ore:Proxy is recommended.
1.13.4 relatedEventIdentifier	<Object> prov:wasUsedBy <Event>.	Use prov:wasUsedBy if the Object pre-existed the Event.
	<Object> prov:wasGeneratedBy <Event>.	Use prov:wasGeneratedBy if the Object was created by the Event.
1.13.4.1 relatedEventIdentifierType	/	
1.13.4.2 relatedEventIdentifierValue	/	
1.13.4.3 relatedEventSequence	/	The Events sequence is expressed by their date and time properties.
1.13.5 relatedEnvironmentPurpose	<Dependency> premis:hasPurpose <Functionality>.	Declare individuals of premis:Functionality or use those defined at http://id.loc.gov/vocabulary/preservation/functionality (not yet established).
1.13.6 relatedEnvironmentCharacteristic	<Dependency> premis:hasCharacteristic <EnvironmentCharacteristic>.	Declare individuals of premis:EnvironmentCharacteristic or use those defined at http://id.loc.gov/vocabulary/preservation/environmentCharacteristic .

1.14 linkingEventIdentifier	<Object> prov:wasUsedBy <Event>.	Use prov:wasUsedBy if the Object pre-existed the Event.
	<Object> prov:wasGeneratedBy <Event>.	Use prov:wasGeneratedBy if the Object was created by the Event.
1.14.1 linkingEventIdentifierType	/	
1.14.2 linkingEventIdentifierValue	/	
1.15 linkingRightsStatementIdentifier	<Object> dct:rights <RightsBasis>.	
1.15.1 linkingRightsStatementIdentifierType	/	
1.15.2 linkingRightsStatementIdentifierValue	/	

2. Event

Semantic unit	RDF mapping	Comment
2.1 eventIdentifier	<Event>	Generally, the Event identifier is the URI for the resource.
	<Event> dct:identifier "id"	This construct should be used if the identifier is not a URI.
	<Event> premis:hasIdentifier <Identifier>	This construct may be used if additional assertions on the identifier must be added, or if a controlled vocabulary that declares identifiers as classes must be used.
2.1.1 eventIdentifierType	?identifierType rdfs:subPropertyOf dct:identifier	Declare subproperties of dct:identifier

	<Identifier> rdf:type ?identifierType. ?identifierType rdfs:subClassOf premis:Identifier.	This construct may be used if additional assertions on the identifier must be added, or if a controlled vocabulary that declares identifiers as classes must be used.
2.1.2 eventIdentifierValue	<Event> dct:identifier "id".	
2.2 eventType	<Event> rdf:type ?eventType. ?eventType rdfs:subClassOf premis:Event.	Declare subclasses of premis:Event or use those defined at http://id.loc.gov/vocabulary/preservation/eventType .
2.3 eventDateTime	<Event> prov:startedAtTime "dateTime". <Event> prov:endedAtTime "dateTime".	In the case of legacy data and if the value of <i>eventDateTime</i> cannot be determined as the Event start date or end date, implementers may use dct:date.
2.4 eventDetailInformation	/	
2.4.1 eventDetail	<Event> premis:hasNote "eventDetail".	
2.4.2 eventDetailExtension	/	
2.5 eventOutcomeInformation	/	
2.5.1 eventOutcome	<Event> premis:hasOutcome ?outcomeStatus. ?outcomeStatus rdf:type premis:OutcomeStatus.	Declare subclasses of premis:OutcomeStatus or use those defined at http://id.loc.gov/vocabulary/preservation/eventOutcome/ (not yet established).
2.5.2 eventOutcomeDetail	/	
2.5.2.1 eventOutcomeDetailNote	<Event> premis:hasOutcomeNote "outcomeDetail".	

2.5.2.2 eventOutcomeDetailExtension	/	
2.6 linkingAgentIdentifier	<Event> prov:wasAssociatedWith <Agent>.	
2.6.1 linkingAgentIdentifierType	/	
2.6.2 linkingAgentIdentifierValue	/	
2.6.3 linkingAgentRole	<Event> ?agentRole <Agent>. ?agentRole rdfs:subPropertyOf prov:wasAssociatedWith.	Declare subproperties of prov:wasAssociatedWith or use those defined at http://id.loc.gov/vocabulary/preservation/event RelatedAgentRole .
2.7 linkingObjectIdentifier	<Event> prov:used <Object>.	Use prov:used if the Object pre-existed the Event.
	<Event> prov:generated <Object>.	Use prov:generated if the Event generated the Object.
2.7.1 linkingObjectIdentifierType	/	
2.7.2 linkingObjectIdentifierValue	/	
2.7.3 linkingObjectRole	<Event> ?objectRole <Object>. ?objectRole rdfs:subPropertyOf prov:used.	Declare subproperties of prov:used / prov:generated or use those defined at http://id.loc.gov/vocabulary/preservation/event RelatedObjectRole .
	<Event> ?objectRole <Object>. ?objectRole rdfs:subPropertyOf prov:generated.	

3. Agent

Semantic unit	RDF mapping	Comment
3.1 agentIdentifier	<Agent>	Generally, the Agent identifier is the URI for the resource.
	<Agent> dct:identifier "id"	This construct should be used if the identifier is not a URI.
	<Agent> premis:hasIdentifier <Identifier>	This construct may be used if additional assertions on the identifier must be added, or if a controlled vocabulary that declares identifiers as classes must be used.
3.1.1 agentIdentifierType	?identifierType rdfs:subPropertyOf dct:identifier	Declare subproperties of dct:identifier
	<Identifier> rdf:type ?identifierType. ?identifierType rdfs:subClassOf premis:Identifier.	This construct may be used if additional assertions on the identifier must be added, or if a controlled vocabulary that declares identifiers as classes must be used.
3.1.2 agentIdentifierValue	<Agent> dct:identifier "id".	
3.2 agentName	<Person> foaf:name "name".	For person or organization Agent.
	<SoftwareAgent> rdfs:label "name"	For software or hardware Agent.
3.3 agentType	<Agent> rdf:type ?agentType. ?agentType rdfs:subClassOf premis:Agent.	Use subclasses of premis:Agent
3.4 agentVersion	<Agent> premis:hasVersion "n".	

3.5 agentNote	<Agent> premis:hasNote "note".	
3.6 agentExtension	/	
3.7 linkingEventIdentifier	<Agent> prov:wasAssociateFor <Event>.	
3.7.1 linkingEventIdentifierType	/	
3.7.2 linkingEventIdentifierValue	/	
3.8 linkingRightsStatementIdentifier	<Agent> prov:influenced <RightsBasis>.	If the Agent contributed to elaborate the rights basis, use prov:influenced pointing to an instance of premis:RightsBasis.
	<Agent> prov:wasInfluencedBy <Rule>.	If the Agent is the one to whom the permission or prohibition defined in the Rights Entity applies, use prov:wasInfluencedBy pointing to an instance of premis:Rule.
3.8.1 linkingRightsStatementIdentifierType	/	
3.8.2 linkingRightsStatementIdentifierValue	/	
3.9 linkingEnvironmentIdentifier	<Agent> skos:closeMatch <Object>.	Use skos:closeMatch if the Object is an Intellectual Entity.
	<Agent> relSubType:isr <Object>.	Use relSubType:isr if the Object is a Representation, File or Bitstream
3.9.1 linkingEnvironmentIdentifierType	/	
3.9.2 linkingEnvironmentIdentifierValue	/	
3.9.3 linkingEnvironmentRole	<Agent> ?objectRole <Object>.	Declare subproperties of premis:hasRelationship

	?objectRole rdfs:subPropertyOf premis:hasRelationship.	or use those defined at http://id.loc.gov/vocabulary/preservation/linkingEnvironmentRole .
--	---	--

4. Rights

Semantic unit	RDF mapping	Comment
4.1 rightsStatement	/	/
4.1.1 rightsStatementIdentifier	<RightsBasis>	Generally, the RightsBasis identifier is the URI for the resource.
	<RightsBasis> dct:identifier "id"	This construct should be used if the identifier is not a URI.
	<RightsBasis> premis:hasIdentifier <Identifier>	This construct may be used if additional assertions on the identifier must be added, or if a controlled vocabulary that declares identifiers as classes must be used.
4.1.1.1 rightsStatementIdentifierType	?identifierType rdfs:subPropertyOf dct:identifier	Declare subproperties of dct:identifier
	<Identifier> rdf:type ?identifierType. ?identifierType rdfs:subClassOf premis:Identifier.	This construct may be used if additional assertions on the identifier must be added, or if a controlled vocabulary that declares identifiers as classes must be used.
4.1.1.2 rightsStatementIdentifierValue	<RightsBasis> dct:identifier "id".	
4.1.2 rightsBasis	/	

4.1.3 copyrightInformation	<RightsBasis> rdf:type ?rightsBasisType. ?rightsBasisType rdfs:subClassOf premis:RightsBasis.	Use subclasses of premis:RightsBasis.
4.1.3.1 copyrightStatus	<Object> premis:hasRightsStatus <RightsStatus>.	Declare subclasses of premis:RightsStatus or use those defined at http://id.loc.gov/vocabulary/preservation/copyrightStatus .
4.1.3.2 copyrightJurisdiction	<Copyright> premis:hasJurisdiction <rdf:resource>.	
4.1.3.3 copyrightStatusDeterminationDate	<RightsStatus> premis:hasDeterminationDate "date".	
4.1.3.4 copyrightNote	<Copyright> premis:hasNote "note".	Attach the property to the instance of premis:Copyright if the note is a general note about the legislation.
	<RightsStatus> premis:hasNote "note".	Attach the property to the instance of premis:RightsStatus if the note is a specific note about the Object governed by copyright.
4.1.3.5 copyrightDocumentationIdentifier	<Copyright> premis:hasDocumentation <Documentation>.	
4.1.3.5.1 copyrightDocumentationIdentifierType	/	
4.1.3.5.2 copyrightDocumentationIdentifierValue	/	
4.1.3.5.3 copyrightDocumentationRole	<Copyright> ?documentationRole <Documentation>.	Declare subproperties of premis:hasDocumentation.

	?documentationRole rdfs:subPropertyOf premis:hasDocumentation.	
4.1.3.6 copyrightApplicableDates	/	
4.1.3.6.1 startDate	<RightsStatus> premis:startDate "date".	
4.1.3.6.2 endDate	<RightsStatus> premis:endDate "date".	
4.1.4 licenseInformation	<RightsBasis> rdf:type premis:License.	
4.1.4.1 licenseDocumentationIdentifier	<License> premis:hasDocumentation <Documentation>.	
4.1.4.1.1 licenseDocumentationIdentifier Type	/	
4.1.4.1.2 licenseDocumentationIdentifier Value	/	
4.1.4.1.3 licenseDocumentationRole	<License> ?documentationRole <Documentation>. ?documentationRole rdfs:subPropertyOf premis:hasDocumentation.	Declare subproperties of premis:hasDocumentation.
4.1.4.2 licenseTerms	<License> premis:hasTerms "terms".	
4.1.4.3 licenseNote	<License> premis:hasNote "note".	Attach the property to the instance of premis:License if the note is a general note about the license.
	<RightsStatus> premis:hasNote "note".	Attach the property to the instance of premis:RightsStatus if the note is a specific note

		about the Object governed by the license.
4.1.4.4 licenseApplicableDates	/	
4.1.4.4.1 startDate	<RightsStatus> premis:startDate "date".	
4.1.4.4.2 endDate	<RightsStatus> premis:endDate "date".	
4.1.5 statuteInformation	<RightsBasis> rdf:type premis:Statute.	
4.1.5.1 statuteJurisdiction	<Statute> premis:hasJurisdiction <rdf:resource>.	
4.1.5.2 statuteCitation	<Statute> premis:hasCitation "citation".	
4.1.5.3 statuteInformationDeterminationDate	<RightsStatus> premis:hasDeterminationDate "dateTime".	
4.1.5.4 statuteNote	<Statute> premis:hasNote "note".	Attach the property to the instance of premis:Statute if the note is a general note about the legislation.
	<RightsStatus> premis:hasNote "note".	Attach the property to the instance of premis:RightsStatus if the note is a specific note about the Object governed by statute.
4.1.5.5 statuteDocumentationIdentifier	<Statute> premis:hasDocumentation <Documentation>.	
4.1.5.5.1 statuteDocumentationIdentifier Type	/	
4.1.5.5.2 statuteDocumentationIdentifier	/	

Value		
4.1.5.5.3 statuteDocumentationRole	<Statute> ?documentationRole <Documentation>. ?documentationRole rdfs:subPropertyOf premis:hasDocumentation.	Declare subproperties of premis:hasDocumentation.
4.1.5.6 statuteApplicableDates	/	
4.1.5.6.1 startDate	<RightsStatus> premis:startDate "date".	
4.1.5.6.2 endDate	<RightsStatus> premis:endDate "date".	
4.1.6 otherRightsInformation	<RightsBasis> rdf:type premis:InstitutionalPolicy.	Use premis:InstitutionalPolicy if relevant, otherwise declare a subclass of premis:RightsBasis.
4.1.6.1 otherRightsDocumentationIdentifier	<InstitutionalPolicy> premis:hasDocumentation <Documentation>.	
4.1.6.1.1 otherRightsDocumentationIdentifierType	/	
4.1.6.1.2 otherRightsDocumentationIdentifierValue	/	
4.1.6.1.3 otherRightsDocumentationRole	<InstitutionalPolicy> ?documentationRole <Documentation>. ?documentationRole rdfs:subPropertyOf premis:hasDocumentation.	Declare subproperties of premis:hasDocumentation.

4.1.6.2 otherRightsBasis	/	
4.1.6.3 otherRightsApplicableDates	/	
4.1.6.3.1 startDate	<RightsStatus> premis:startDate "date".	
4.1.6.3.2 endDate	<RightsStatus> premis:endDate "date".	
4.1.6.4 otherRightsNote	<InstitutionalPolicy> premis:hasNote "note".	Attach the property to the instance of premis:InstitutionalPolicy (or other locally-defined subclass of premis:RightsBasis) if the note is a general note about the policy.
	<RightsStatus> premis:hasNote "note".	Attach the property to the instance of premis:RightsStatus if the note is a specific note about the Object governed by policy.
4.1.7 rightsGranted	<RightsBasis> premis:allows <Rule>.	
	<RightsBasis> premis:prohibits <Rule>.	Use premis:prohibits if the action is prohibited.
4.1.7.1 act	<Rule> premis:act <Action>.	Declare individuals of premis:Action or use those defined at http://id.loc.gov/vocabulary/preservation/actionGranted
4.1.7.2 restriction	<Action> odrl:constraint <odrl:Constraint>.	Recommended practice is to use odrl:Constraint to express restrictions.
	<Action> premis:hasRestriction "restriction".	If the restriction is free-text or can't be expressed with odrl:Constraint, use the datatype property premis:hasRestriction.
4.1.7.3 termOfGrant	/	Term of grant should be expressed by

4.1.7.3.1 startDate	<Action> premis:startDate "date".	premis:startDate and premis:endDate applied to an allowed premis:Rule
4.1.7.3.2 endDate	<Action> premis:endDate "date".	
4.1.7.4 termOfRestriction	/	Term of restriction should be expressed by premis:startDate and premis:endDate applied to a prohibited premis:Rule.
4.1.7.4.1 startDate	<Action> premis:startDate "date"	
4.1.7.4.2 endDate	<Action> premis:endDate "date".	
4.1.7.5 rightsGrantedNote	<Rule> premis:hasNote "note".	
4.1.8 linkingObjectIdentifier	<RightsBasis> premis:governs <Object>.	
4.1.8.1 linkingObjectIdentifierType	/	
4.1.8.2 linkingObjectIdentifierValue	/	
4.1.8.3 linkingObjectRole	<RightsBasis> ?my:objectRole <Object>. ?objectRole rdfs:subPropertyOf premis;governs.	Declare subproperties of premis:governs.
4.1.9 linkingAgentIdentifier	<RightsBasis> prov:wasInfluencedBy <Agent>.	If the Agent contributed to elaborate the, use prov:wasInfluencedBy pointing from an instance of premis:RightsBasis.
	<Rule> prov:influenced <Agent>.	If the Agent is the one to whom the permission or prohibition defined by the premis:Rule applies, use prov:influenced pointing from an instance of premis:Rule.
4.1.9.1 linkingAgentIdentifierType	/	
4.1.9.2 linkingAgentIdentifierValue	/	

4.1.9.3 linkingAgentRole	<RightsBasis> ?agentRole <Agent>. ?agentRole rdfs:subPropertyOf prov:wasInfluencedBy.	Declare subproperties of prov:wasInfluencedBy or use those defined at http://id.loc.gov/vocabulary/preservation/rights/RelatedAgentRole.
4.2 rightsExtension	/	